

FLOOR PLAN  
SCALE: 1/16" = 1'-0"

BOLLARD DETAIL  
SCALE: 3/4" = 1'-0"

WALL LEGEND

- NEW EXT. CMU AND MTL. PANEL WALL - 8" X 8" X 16" SPLIT-FACE CMU W/ HORIZ. WALL REINF. EVERY OTHER COURSE TO 6'-8" A.F.F. ONE COURSE SMOOTH, SCORED-FACE BLOCK AT 6'-8" A.F.F. OTHER COURSE SMOOTH BLOCK. 6" O.C. BOND BEAM. MTL. PANEL STRUCTURE FROM 6" O.C. TO 10" O.C. EXTEND METAL PANEL DOWN OVER BOND BEAM. INSULATE WITH R-11 MTL. BLDG. INSUL.
- NEW EXPANDABLE END WALL BY MTL. BLDG. MANUF. MTL. PANEL FROM F.F.E. TO EAVE. INSULATE WITH R-11 MTL. BLDG. INSUL.
- NEW EXT. CMU AND MTL. STUD WALL @ STOREFRONT WINDOWS - 8" X 8" X 16" SPLIT-FACE CMU W/ HORIZ. WALL REINF. EVERY OTHER COURSE TO 2'-0" A.F.F. ONE COURSE ROWLOCK BRICK ON SINGLE WYTHE BRICK BESIDE ONE COURSE 4" CMU. STOREFRONT WINDOW FROM 2'-8" TO 9'-8". 5/8" EXT. GYP. BD. ON 8" MTL. STUDS AT 16" O.C. FROM 9'-8" A.F.F. TO TOP OF PARAPET. COVER SURFACE WITH 1/2" GYP. BD. WITH 15 LB FELT AND VENER WITH EFS.
- NEW EXT. CMU AND MTL. STUD WALL W/ STONE VENER - 8" X 8" X 16" SMOOTH FACE CMU W/ HORIZ. WALL REINF. EVERY OTHER COURSE TO 7'-4" A.F.F. COVER ENTIRE SURFACE WITH 15 LB FELT AND VENER WITH SYNTHETIC STONE. 5/8" EXT. GYP. BD. ON 8" MTL. STUDS AT 16" O.C. FROM 7'-4" TO 9'-8" A.F.F. TO TOP OF PARAPET. COVER SURFACE WITH 1/2" GYP. BD. WITH 15 LB FELT AND VENER WITH EFS.
- NEW EXTERIOR CMU AND MTL. STUD WALL W/ MTL. STUD FURR OUT AND STONE VENER - 8" X 8" X 16" SMOOTH FACE CMU W/ HORIZ. WALL REINF. EVERY OTHER COURSE TO 7'-4" A.F.F. AND 8" MTL. STUDS AT 16" O.C. TO TOP OF PARAPET. BUILD OUT PLASTER W/ 5/8" EXT. GYP. BD. ON 8" MTL. STUDS AT 16" O.C. FROM 7'-4" TO 9'-8" A.F.F. TO TOP OF PARAPET. COVER SURFACE WITH 1/2" GYP. BD. WITH 15 LB FELT AND VENER WITH EFS.
- NEW EXTERIOR CMU AND MTL. STUD WALL WITH PLASTER EXPOSED IN CMU WALLS EX. PARAPET.


GENERAL NOTES

- DIMENSIONS SHOWN ARE NOMINAL TO THE FACE OF C.M.U. BLOCK AND/OR FACE OF STEEL FRAMING.
- PAINT ALL EXPOSED STEEL STRUCTURE WHITE. COLUMN GUARDS CAUTION YELLOW. CMU WALLS TO BE COATED FOR BEHAVIORED BLOCK FILTER PRIOR TO CMU WALLS TO BE PAINTED TO MATCH STONE VENER.

KEY NOTES

- STEEL BENT - BY MTL. BLDG. MANFR.
- STEEL WIND COL. - BY MTL. BLDG. MANFR.
- STEEL SUPPORT COL. - BY MTL. BLDG. MANFR. SEE 2/A1.1 FOR COLUMN PROTECTION
- PIPE BOLLARD, TYPICAL OF 2 INT. AND 2 EXT. AT EACH ROLL UP DOOR AND MIN. 3 @ EA. UTILITY ENTRANCE AS REQD. TO PROTECT UTILITY SERVICE EQUIPMENT. ALONG ADEQUATE CLEARANCE AROUND SERVICES AND ALLOW PERMISSIBLE CLEARANCES SEE 2/A1.1 FOR PROPER COORDINATE LOCATIONS WITH UNDERGROUND PIPING.
- DOWNSPOUTS AND TYPICAL OF 24" @ 5' 3" PER PLUMBER.
- MECHANICAL DOCK LEVLER W/ WEATHERSEAL OPTION - VERIFY PIT SIZE W/ MFR.
- VERIFY DUT CONC. THIS AREA FOR FUTURE PLUMBING
- ELECTRICAL SERVICE ENTRANCE
- WATER AND FIRE PROTECTION SERVICE ENTRANCE

COLUMN DETAIL



**SPECULATIVE INDUSTRIAL BUILDING #2 FOR UNION CITY, TN**  
HWY 21 AND HWY 51  
UNION CITY, TENNESSEE 38261

**Michael Brady Inc.**  
Architecture · Engineering · Interiors  
Phone: (665) 584-0999  
299 N. Weigand Rd.  
www.mbrarch.com  
Fax: (665) 584-5213  
Knoxville, TN 37919  
mbr@mbrarch.com

THIS DRAWING HAS BEEN ISSUED:  
 FOR REVIEW ONLY  
 DESIGN DEVELOPMENT  
 CONSTRUCTION DOCUMENTS

**Revisions:**  
 7/25/07  
 8/13/07

**Design By:** BDP  
**Drawn By:** TJP  
**Reviewed By:** BDP

**Sheet:** A1.1  
**Sheet No.:** 1 of 1